

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for displaying ~~the a user's manual of for~~ a video apparatus, the method comprising ~~the steps of~~:

determining whether a ~~manual~~-selection key signal for display of the user's manual is input;

graphically displaying ~~a the~~ video apparatus having a plurality of parts according to the ~~manual~~-selection key signal; ~~and~~

successively displaying portions of the user's manual of a corresponding to predetermined portion respective parts of the video apparatus in an initial predetermined display order;

interrupting the initial predetermined display order upon a selection of at least one part of the video apparatus by a user input; and

displaying portions of the user's manual corresponding to the at least one part of the video apparatus.

2. (Currently Amended) The method of claim 1, wherein said user's manual is displayed, comprises images of the parts, ~~predetermined portion of the video apparatus is marked, and the graphic obtained by enlarging the corresponding portion is displayed.~~

3. (Currently Amended) The method of claim 1, wherein said user's manual comprises enlarged images of the parts ~~usages of predetermined portions of the video apparatus sequentially and automatically proceed.~~

4. (Currently Amended) The method of claim 1, wherein said ~~predetermined portion~~ parts of the video apparatus ~~is an external apparatus~~ comprise a connector for connecting to a peripheral apparatus including one or more input/output terminals of the video apparatus.

5. (Currently Amended) The method of claim 4, ~~further comprising the step of automatically switching the mode of the video apparatus to a mode of operating the external apparatus connected to the corresponding input/output terminal wherein, when an enter-key signal is input while the manuals of portions of the user's manual corresponding to the input/output terminals of the external apparatus connector connector are displayed, an operating mode of the video apparatus is adapted to operate the peripheral apparatus.~~

6. (Currently Amended) The method of claim 1, wherein said ~~predetermined portion~~ parts of the video apparatus ~~is~~ comprise a manipulation portion of the video apparatus.

7. (Currently Amended) A method for displaying a video, the method comprising the steps of:

(a) determining whether a ~~manual~~ selection key signal for display of an instruction manual is input by a user; and

(b) graphically displaying ~~a multiple images of~~ predetermined portions of a video apparatus and images of at least one peripheral apparatus according to the ~~manual~~ selection key signal, and graphically and sequentially displaying corresponding portions of the instruction manual of a method for connecting the video apparatus to ~~various external apparatuses~~ the at least one peripheral apparatus.

8. (Currently Amended) The method of claim 7, ~~wherein said manual is displayed, the further comprising marking at least one image of the predetermined portions of the video apparatus are marked, and the graphic obtained by enlarging the corresponding portion is displayed~~ the at least one image.

9. (Currently Amended) The method of claim 7, wherein the step (b) ~~automatically proceeds~~ is halted when a user selects at least one portion of the video apparatus for display.

10. (Currently Amended) The method of claim 7, wherein said predetermined ~~portion~~ portions of the video apparatus ~~is an external apparatus~~ comprise a connector including at least

~~one or more~~ input/output ~~terminals-terminal~~ of the video apparatus for connecting to the at least one peripheral apparatus.

11. (Currently Amended) ~~The method of claim 10, further comprising the step of automatically switching the mode of the video apparatus to a mode of operating the external apparatus connected to the corresponding input/output terminal wherein, when an enter key a signal is input by the user while the a portion of the reference manual manuals of corresponding to the at least one input/output terminals-terminal of the external apparatus connector are connector is displayed, an operating mode of the video apparatus is adopted to operate the at least one peripheral apparatus.~~

12. (Currently Amended) The method of claim 7, wherein at least one said predetermined portion of the video apparatus is ~~the a~~ manipulation portion of the video apparatus.

13. (Currently Amended) An apparatus for displaying ~~the a~~ manual of a video apparatus, the apparatus comprising:

a manual data storage unit for storing manual data including the manual of a method for connecting the video apparatus to ~~various external apparatuses~~ at least one peripheral apparatus and graphically displaying images of a predetermined portions of the video apparatus;

a microcomputer for receiving a manual selection key signal received ~~by~~ from a user and outputting a control signal; and

a manual display unit for graphically displaying portions of the manual in a predetermined sequence on the screen of the video apparatus according to the control signal, wherein the control signal sets the predetermined sequence.

14. (Currently Amended) The ~~method~~ apparatus of claim 13, wherein said manual display unit ~~marks~~ is adapted to mark an image of at least one a predetermined portion of the video apparatus, and ~~displays the~~ to display an enlarged graphic ~~obtained by enlarging~~ of the ~~corresponding portion image~~ on the screen of the video apparatus.

15. (Currently Amended) The apparatus of claim 13, wherein ~~said manual display unit~~ sequentially displays the ~~manuals of~~ predetermined portions of the video apparatus on the screen of the video apparatus according to the control signal portions of the manual comprise at least one image of the at least one peripheral apparatus.

16. (Currently Amended) The apparatus of claim 13, wherein said predetermined ~~portion~~ portions of the video apparatus ~~is an external apparatus~~ comprise a connector including one or more input/output terminals of the video apparatus for connecting to the at least one peripheral apparatus.

17. (Currently Amended) The apparatus of claim 13, wherein said microcomputer, ~~when a signal is input, automatically switches the~~ adapts an operating mode of the video apparatus to ~~a mode of operating~~ operate the external at least one peripheral apparatus connected to the ~~corresponding input/output terminal when an enter key signal is input while~~ the manual is displayed connector.

18. (Currently Amended) The apparatus of claim 13, wherein said predetermined ~~portion~~ portions of the video apparatus ~~is the~~ comprise a manipulation portion of the video apparatus.

19. (New) The method of claim 1, wherein the instruction manual comprises a message in on screen display (OSD) form.

20. (New) The method of claim 7, further comprising displaying a message in on screen display (OSD) form.